

Cypress™

Cypress Tech Talk

October 8, 2019



MITRE

The Office of the National Coordinator for
Health Information Technology



Agenda

- Software Updates
 - Cypress 4.0.4 Patch Release
 - QRDA Import/Export updates
 - Updated CMS 2019 IG Guidance
- Recent Issues
 - Known Issues Dashboard
- Cypress Versions
- Open Discussion
- Contact Information

Software Updates

Cypress 4.0.4 Patch Release

- Cypress 4.0.4 patch release is planned for Thursday, October 3rd
- Cypress 4.0.4 patch release will include updates to QRDA Import and Export:
 - Use an id's Root and Extension determine uniqueness
 - “Low” values in a time range can use nullFlavor
 - Quantities can use decimal values
 - Exported Medication units should be valid UCUM value
- Cypress 4.0.4 patch release will enforce the "Guidance for Reason Template Placement When Specifying 'Not Done' with a Reason" published September 20, 2019.
 - <https://ecqi.healthit.gov/now-available-updated-2019-cms-qrda-iig-and-sample-file-hospital-quality-reporting-and-guidance-not-reporting-value-set-oids>

Software Updates

Updated 2019 CMS IG Guidance

- Published September 20, 2019.
 - <https://ecqi.healthit.gov/now-available-updated-2019-cms-grda-i-ig-and-sample-file-hospital-quality-reporting-and-guidance-not-reporting-value-set-oids>
- Implementation Guide Update - Reason Template
 - Enforced by Cypress version 4.0.4 and later
- Guidance on Not Reporting Value Set OIDs
- Updated Sample File

Software Updates

2019 Guidance: Reason Template

- <https://ecqi.healthit.gov/sites/default/files/QRDA-HQR-2019-CMS-IG-v1.1-09202019-508.pdf>
- Reason “Not Done”
- “[...] will be nested directly within the element containing the negationInd attribute.”
- When both parent and child template allow negation, should be in ***parent*** template
- Example Reason Placement:

```
<!-- Communication from Provider to Patient(V4)
-->
<act classCode="ACT" moodCode="EVN"
negationInd="true" >
  <templateId root="2.16.840.1.113883.10.20.24.3.3"
extension="2017-08-01"/>
  ...
  <!-- Reason(V3) for communication not done -->
  <entryRelationship typeCode="RSON">
    <observation classCode="OBS" moodCode="EVN">
      <templateId
        root="2.16.840.1.113883.10.20.24.3.88"
        extension="2017-08-01"/>
      ...
    </observation>
  </entryRelationship>
</act>
```

Software Updates

2019 Guidance: Value Set OIDs

- Update to HL7 base standard
- Removed the SHALL @sdtc:valueSet requirement for providing value set OID
- Including value set OID may lead to unexpected measure results
 - Repeated entries are no longer necessary because valueset OID is not required. Repeats may cause unexpected results.
- Value set OID should **ONLY** be used to report **negation** of QDM data elements

Use valueset oid when: Negating a valueset

```
<code nullFlavor="NA"
sdtc:valueSet="2.16.840.1.113883.3.464.1003.196.12.1001">
```

Don't use valueset oid when: Using a code

```
<value xsi:type="CD" code="182897004"
  codeSystem="2.16.840.1.113883.6.96"
  displayName="Drug declined by patient - side effects
(situation)"
  codeSystemName="SNOMED CT"/>
```

Recent Issue

Cypress Known Issues Dashboard

- <https://oncprojecttracking.healthit.gov/support/secure/Dashboard.jspa?selectPageId=18000>
- The Dashboard collects all labeled known issues in one place, sorted by Cypress version
- Easily navigate to the dashboard from the Cypress summary page

Cypress Known Issues Add gadget Edit layout ...

Cypress Known Issues + ↗ ...

Below are tables that list known issues for the most recent Cypress Versions

Release Notes for Cypress Versions can be found [here](#)

Filter Results: Cypress Known Bugs 5.0.1 + ↗ ...

Summary	2020 Reporting Period EH eQMs	2020 Performance Period EP/EC eQMs	Solution ↑	Links
fulfills entry extension lookup in separate file		CMS50v8/NQF374	If you run into this issue during a certification test, please have your Test Proctor refer to this ticket and regenerate a test deck for CMS50.	
Measure Validation engine	CMS108v8/NQFna, ... (1)		On QRDA import, Cypress shifts all times to UTC±00:00.	
			If calculation errors due to timezone shifting during a certification, have	

Cypress Versions

Version	Dates	Measures Supported
V4.0.3	May 2, 2019	
V4.0.4	October 3, 2019	Latest version supporting eCQMs for the 2019 Reporting/Performance Period and CQL. Fixes QRDA and other 4.0.3 bugs.
V5.0.0	July 25, 2019	
V5.0.1	August 29, 2019	Latest version supporting eCQMs for the 2020 Reporting/Performance Period and CQL. Contains performance improvements and fixes for bugs found in Cypress v5.0.0

Bundle Version	Dates	Features
2018.1.0	October 11, 2018	Cypress v4 only CQL-based measures released in 2018 for the 2019 reporting year eCQM Value Sets as of 9/17/2018.
2019.0.1	July 25, 2019	Cypress v5 only CQL-based measures released in 2019 for the 2020 reporting year eCQM Value Sets as of 5/10/2019.

OPEN DISCUSSION

Next Cypress Tech Talk

- Tuesday, October 22, 2019 at 1pm ET
- To join online, visit: <https://global.gotomeeting.com/join/529898157>
- To join via phone, dial: 1-646-749-3122
- Meeting Number: 529 898 157
- Meeting link, as well as a calendar event file, available at:
 - <https://www.healthit.gov/cypress/techtalks.html>

Notes

- **Completed Webinars will be posted on the Cypress website on the Tech Talks tab**
 - <https://www.healthit.gov/cypress/techtalks.html>
- **Send questions and feedback to the Cypress Talk List at**
 - project-cypress-talk@googlegroups.com
- **Report bugs and issues to the Cypress JIRA at**
 - <https://oncprojecttracking.healthit.gov/support/browse/CYPRESS>