

<b>2015 Edition §170.315(b)(2) Clinical Information Reconciliation</b>				
Testing Components:				
				ONC Supplied Test Data
Test Procedure Version 1.0 – Last Updated 1/20/2016				

Please consult the Final Rule entitled: *2015 Edition Health Information Technology (Health IT) Certification Criteria, 2015 Edition Base Electronic Health Record (EHR) Definition, and ONC Health IT Certification Program Modifications* for a detailed description of the certification criterion with which these testing steps are associated. We also encourage developers to consult the Certification Companion Guide in tandem with the test procedure as they provide clarifications that may be useful for product development and testing.

*Note: The order in which the test steps are listed reflects the sequence of the certification criterion and does not necessarily prescribe the order in which the test should take place.*

## Required Tests

### (b)(2)(i) General requirements

Paragraphs (b)(2)(ii) and (iii) of this section must be completed based on the receipt of a transition of care/referral summary formatted in accordance with the standards adopted in § 170.205(a)(3) and § 170.205(a)(4) using the Continuity of Care Document, Referral Note, and (for inpatient setting only) Discharge Summary document templates.

### (b)(ii) Correct Patient

Upon receipt of a transition of care/referral summary formatted according to the standards adopted at § 170.205(a)(3) and § 170.205(a)(4), technology must be able to demonstrate that the transition of care/referral summary received can be properly matched to the correct patient.

**Standards:** §170.205(a)(3) [HL7 Implementation Guide for CDA® Release 2: IHE Health Story Consolidation, DSTU Release 1.1 \(US Realm\) Draft Standard for Trial Use July 2012](#)

§170.205(a)(4) [HL7 Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes, Draft Standard for Trial Use, Release 2.1](#)

**Test Data:** [ETT: Message Validators](#)

170.315\_b2\_ciri\_r11\_sample\*.xml (All Samples)

170.315\_b2\_ciri\_r21\_sample\*.xml (All Samples)

**Test Tool:** [ETT: Message Validators](#)

Criteria ¶	System Under Test	Test Lab Verification
(ii)	<p><b>Setup</b></p> <ol style="list-style-type: none"> <li>Using the ETT: Message Validators – C-CDA R2.1 Validator, the user selects the receiver “170.315_b2_CIRI_Amb” or “170.315_b2_CIRI_Inp” criteria and selects one of the C-CDA R2 Release 2.1 xml files and executes the download of the required Clinical Information Reconciliation document 170.315_b2_ciri_r21_sample*.xml file for C-CDA R2 Release 2.1.</li> <li>The user repeats step 1, but selects the corresponding CDA R2 Release 1.1 xml file from the File Name and executes the download of the required Clinical Information Reconciliation document 170.315_b2_ciri_r11_sample*.xml file for C-CDA R2 Release 1.1.</li> </ol> <p><b>Correct Patient</b></p> <ol style="list-style-type: none"> <li>Using the xml files downloaded in Steps 1 and 2, the user demonstrates that a transition of care summary/referral summary C-CDA document, formatted according to the standard adopted at §170.205(a)(3) and a transition of care summary/referral summary C-CDA document formatted according to the standard adopted at §170.205(a)(4), can be properly matched to a patient in the Health IT Module. Note that matches can be made automatically or manually.</li> <li>The user repeats step 1-3 for each set of C-CDA R2 Release 1.1 and C-CDA R2 Release 2.1 xml files listed in the File Name for each of the health IT settings being certified.</li> </ol>	<p><b>Setup</b></p> <ol style="list-style-type: none"> <li>The tester creates a human readable version of the downloaded C-CDA R2 Release 2.1 and C-CDA R2 Release 1.1 files from step 1 of the SUT to be used for verification.</li> </ol> <p><b>Correct Patient</b></p> <ol style="list-style-type: none"> <li>The tester uses visual inspection to verify the Health IT Module can receive the C-CDA document downloaded in step 1 of the SUT as a C-CDA Release 1.1 document formatted according to the standard specified in §170.205(a)(3) as either a CCD or a C-CDA with no specific document template.</li> <li>The tester uses visual inspection to verify the Health IT Module can receive the C-CDA document downloaded in step 2 of the SUT as a C-CDA Release 2.1 documents formatted according to the standard specified in §170.205(a)(4) using one of the following document templates: <ul style="list-style-type: none"> <li>Continuity of Care Document (CCD);</li> <li>Referral Note; and</li> <li>(For inpatient setting only) Discharge Summary.</li> </ul> </li> <li>Using the Health IT Module and the human readable xml files from step 1, the tester verifies that the received C-CDA Release 1.1 and Release 2.1 documents can be properly matched to the correct patient record.</li> </ol>

**(iii) Reconciliation**

Enable a user to reconcile the data that represent a patient's active medication list, medication allergy list, and problem list as follows. For each list type:

- Simultaneously display (i.e., in a single view) the data from at least two sources in a manner that allows a user to view the data and their attributes, which must include, at a minimum, the source and last modification date;
- Enable a user to create a single reconciled list of medications, medication allergies, or problems;

- (C). Enable a user to review and validate the accuracy of a final set of data; and
- (D). Upon a user's confirmation, automatically update the list, and incorporate the following data expressed according to the specified standard(s):
  - (1) Medications. At a minimum, the version of the standard specified in § 170.207(d)(3);
  - (2) Medication allergies. At a minimum, the version of the standard specified in § 170.207(d)(3); and
  - (3) Problems. At a minimum, the version of the standard specified in § 170.207(a)(4).

**Standards:**

- §170.205(a)(3) [HL7 Implementation Guide for CDA® Release 2: IHE Health Story Consolidation, DSTU Release 1.1 \(US Realm\) Draft Standard for Trial Use July 2012](#)
- §170.205(a)(4) [HL7 Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes, Draft Standard for Trial Use, Release 2.1](#)
- § 170.207(d)(2) [RxNorm, August 6, 2012 Full Release Update](#)
- §170.207(d)(3) [RxNorm](#), a standardized nomenclature for clinical drugs produced by the United States National Library of Medicine, September 8, 2015 Release
- § 170.207(a)(3) [International Health Terminology Standards Development Organisation \(IHTSDO\) Systematized Nomenclature of Medicine Clinical Terms \(SNOMED CT®\) International Release July 31, 2012](#) and US Extension to SNOMED CT® March 2012 § 170.207(a)(4) [International Health Terminology Standards Development Organisation \(IHTSDO\) Systematized Nomenclature of Medicine Clinical Terms \(SNOMED CT®\)](#), U.S. Edition, September 2015 Release

**Test Data:** [ETT: Message Validators](#)

- 170.315\_b2\_ciri\_r11\_sample\*.xml (All Samples)
- 170.315\_b2\_ciri\_r11\_sample\*\_recon\*.xml (All Samples)
- 170.315\_b2\_ciri\_r21\_sample\*.xml (All Samples)
- 170.315\_b2\_ciri\_r21\_sample\*\_recon\*.xml (All Samples)

**Test Tool:** [ETT: Message Validators](#)

Criteria ¶	System Under Test	Test Lab Verification
<p>(iii)(A)</p>	<p><b><u>Simultaneous Display</u></b></p> <ol style="list-style-type: none"> <li>Using the ETT: Message Validators – C-CDA R2.1 Validator, the user downloads the Clinical Information Reconciliation documents (xml) by selecting the receiver “170.315_b2_CIRI_Amb” or “170.315_b2_CIRI_Inp” criteria and the required Clinical Information Reconciliation documents xml files for both C-CDA Release 1.1 and Release 2.1 and executes the download.</li> <li>The user simultaneously views data (including active medications, medication allergies, and problems) along with the source and last modification date attributes from at least two sources: <ul style="list-style-type: none"> <li>The current patient record which includes the base input received in section (b)(2)(ii); AND</li> <li>The Transition of care summary/referral summary C-CDA Release 1.1 and Release 2.1 document, formatted according to the standard adopted at §170.205(a)(3) AND §170.205(a)(4) which includes the reconciliation data 170.315_b2_ciri_r11_sample*_recon*.xml or 170.315_b2_ciri_r21_sample*_recon*.xml .</li> </ul> </li> </ol> <p>Note that Health IT Module will need to separately demonstrate the ability to reconcile summary of care documents formatted according to §170.205(a)(3) and §170.205(a)(4), and they will need to separately demonstrate each of the following document templates: CCD or C-CDA with no specific document template for C-CDA Release 1.1; and CCD, Referral Note, and Discharge Summary (inpatient only) document templates for C-CDA Release 2.1 for the health IT setting(s) being certified.</p>	<p><b><u>Simultaneous Display</u></b></p> <p>The tester verifies that data from multiple sources can be simultaneously displayed in a single view for medications, medication allergies, and problems, including both the source and last modification date. The last modification date is defined for each list as:</p> <ul style="list-style-type: none"> <li>Last date medication was documented, ordered, prescribed, refilled, dispensed, or edited;</li> <li>Last date the problem was documented or edited; and</li> <li>Last date the medication allergy was documented or edited.</li> </ul> <p>Further, the tester must verify that the Health IT Module can display the current patient record and a transition of care summary/referral summary C-CDA Release 1.1 and Release 2.1 document, formatted according to the standard adopted at §170.205(a)(3) and separately the current patient record and a transition of care summary/referral summary C-CDA document, formatted according to the standard adopted at §170.205(a)(4).</p> <p>The tester must verify that this can be completed for the CCD or C-CDA with no specific document template for C-CDA Release 1.1; and CCD, Referral Note, and Discharge Summary (inpatient only) document templates for C-CDA Release 2.1.</p>

Criteria ¶	System Under Test	Test Lab Verification
(iii)(B)	<p>The user creates a single, reconciled list using the data reviewed from the multiple medications, problems, or medication allergies list sources in step one for each of the following:</p> <ul style="list-style-type: none"> <li>• Medications;</li> <li>• Medication allergies; and</li> <li>• Problems.</li> </ul>	<p>The tester verifies that, for each list type, the lists can be merged, duplicates can be consolidated into a single representation, list items can be removed, and any other methods the Health IT Module may use to reconcile the list.</p>
(iii)(C)	<p>The user reviews the details of the reconciled list and validates its accuracy.</p>	<p>The tester verifies that, for each list type, a user is able to review and verify the accuracy of the final list.</p>
(iii)(D)	<p>The user accepts the reconciled list and the patient record in the Health IT Module is updated.</p>	<p>The tester verifies that reconciled medications, medication allergies, and problems data are accurately incorporated into the patient record and expressed in the following:</p> <ul style="list-style-type: none"> <li>• medications are expressed according to the standard specified in §170.207(d)(3);</li> <li>• medication allergies are expressed according to the standard specified in §170.207(d)(3); and</li> <li>• problems are expressed according to the standard specified in §170.207(a)(4).</li> </ul>

#### (iv) System Verification

Based on the data reconciled and incorporated, the technology must be able to create a file formatted according to the standard adopted at § 170.205(a)(4) using the Continuity of Care Document template.

**Standard(s):** §170.205(a)(4) [HL7 Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes, Draft Standard for Trial Use, Release 2.1](#)

**Test Tool:** [ETT: Message Validators](#)

Criteria ¶	System Under Test	Test Lab Verification
(iv)	<p>1. For each reconciliation in (b)(2)(iii), a user creates a CCD that includes the reconciled and incorporated data, in accordance with the standard adopted at §170.205(a)(4), for each of the following:</p> <ul style="list-style-type: none"> <li>• medications;</li> <li>• medication allergies; and</li> <li>• problems.</li> </ul>	<p>1. Using the reconciled CCD document submitted by the SUT, the tester uses the ETT: Message Validators –C-CDA R2.1 Validator to upload the submitted CCD by selecting the sender “170.315_b2_CIRI_Amb” or “170.315_b2_CIRI_Inp” criteria and the file name corresponding to the reconciliation input samples, and the tester executes the upload.</p> <p>2. The tester uses the ETT: Message Validators Validation Report created as a result of the upload in step 1 to verify the Health IT Module passes without error to confirm that the Clinical Information Reconciliation CCD document is conformant when it is created after a reconciliation of medications, medication allergies, and/or problems has been performed, and that it meets the standard specified in § 170.207(a)(4). This verification is only for C-CDA Release 2.1 CCD documents.</p>

#### Document History

Version Number	Description of Change	Date
1.0	Final Test Procedure	January 20, 2016

Dependencies: For all related and required criteria, please refer to the [Master Table of Related and Required Criteria](#).