

# **Certified Health IT Product List (CHPL)**

Safety Enhanced Design (SED) / Usability Test Results

CHPL Reporting Instructions

## Document History

Version Number	Description of Change	Date
1.0	Final SED Guidance	July 21, 2016

## Table of Contents

Document History .....	1
Overview 3	
SED / Usability Fields .....	3
General .....	3
SED Report Hyperlink .....	3
Description of the Intended Users .....	3
Date SED Testing was Concluded .....	4
Participant-Related Fields .....	4
Participant Gender .....	4
Participant Age .....	4
Participant Education .....	4
Participant Occupation/Role .....	5
Participant Professional Experience .....	5
Participant Computer Experience .....	5
Participant Product Experience .....	5
Participant Assistive Technology Needs .....	6
Task-Related Fields .....	6
Task Description .....	6
Task Success – Mean (%) .....	6
Task Success - Standard Deviation (%) .....	6
Task Path Deviation - Observed # .....	7
Task Path Deviation - Optimal # .....	7
Task Time - Mean (seconds) .....	7
Task Time - Standard Deviation (seconds) .....	7
Task Time Deviation - Mean Observed Seconds .....	7
Task Time Deviation - Mean Optimal Seconds .....	8
Task Errors - Mean(%) .....	8
Task Errors - Standard Deviation (%) .....	8
Task Rating - Scale Type .....	8
Task Rating .....	8
Task Rating – Standard Deviation .....	9
Guidance on Converting Other Fields .....	10
Participant Age .....	10
Participant Education .....	10
Participant Experience (e.g. Computer Experience, Professional Experience Product Experience) .....	11

## Overview

The ONC Health IT Certification Program requires that information related to the safety-enhanced design (SED) criterion (§ 170.315 (g)(3) ), user-centered design, and summative usability testing for all applicable 2015 certified health IT modules be uploaded and displayed to the public via the new [Certified Health IT Product List \(CHPL\)](#). The SED criterion is required for health IT modules certified to the following certification criteria: § 170.315(a)(1), (a)(2), (a)(3), (a)(4), (a)(5), (a)(6), (a)(7), (a)(8), (a)(9), (a)(14), (b)(2), (b)(3). For more information, please refer to the [2015 Edition Certification Companion Guide: Safety-enhanced design – 45 CFR 170.315\(g\)\(3\)](#). Data elements to be reported can be found in the [NISTIR 7742: Customized Common Industry Format Template for Electronic Health Record Usability Testing](#). In order to present information pertaining to a limited set of test results in a granular, standardized, and parsable manner, the ONC Health IT Certification Program requests that some of this data is reported with pre-defined standard formats and allowable values. This document provides definitions for each of these elements and outlines the allowable values and formats for each field. Please note that the full SED requirements and summative usability report will still be required to be posted/hyperlinked in the CHPL, as only a limited set of data will be discretely reported on the CHPL.

Furthermore, for those developers that have already conducted the required summative usability testing, this document provides additional guidance on how to translate values from existing test results into values allowable for open data CHPL input. In these limited instances, ONC and NIST are happy to work with the ONC-ACB and developer as needed.

## SED / Usability Fields

### General

#### SED Report Hyperlink

<b>Field Name</b>	SED / Usability Report Hyperlink
<b>Description of Field</b>	Hyperlink to FULL Usability Test Report meeting all the SED requirements
<b>Value Type</b>	<url>
<b>Allowable Values/Formats</b>	Fully qualified URL which is reachable via web browser validation and verification.
<b>Notes and Examples</b>	For example, an allowable value would be <a href="http://www.sedreport.com">http://www.sedreport.com</a>

#### Description of the Intended Users

<b>Field Name</b>	Description of the Intended Users
<b>Description of Field</b>	Description of the health IT module(s)' intended users for the tested capabilities/related criteria
<b>Value Type</b>	<string>
<b>Allowable Values/Formats</b>	No restrictions on formatting or values are in place
<b>Notes and Examples</b>	For example, "Ambulatory physicians and nurses"

### Date SED Testing was Concluded

<b>Field Name</b>	Date SED Testing was <b>Concluded</b>
<b>Description of Field</b>	The date on which all SED/Usability testing was concluded for all the related certification criteria
<b>Value Type</b>	<date>
<b>Allowable Values/Formats</b>	The date must be in the format YYYYMMDD
<b>Notes and Examples</b>	<ul style="list-style-type: none"> <li>• For example, if SED testing was concluded on July 5, 2016, the corresponding CHPL input would be 20160705</li> <li>• Please note per the NISTIR 7742 the full report should list all dates for which summative usability testing was conducted</li> </ul>

### Participant-Related Fields

#### Participant Gender

<b>Field Name</b>	Participant Gender
<b>Description of Field</b>	Self-reported gender of the corresponding participant
<b>Value Type</b>	<string>
<b>Allowable Values/Formats</b>	<p>The following are allowable values for the 'Participant Gender' field:</p> <ul style="list-style-type: none"> <li>• Male</li> <li>• Female</li> <li>• Unknown</li> </ul>
<b>Notes and Examples</b>	N/A

#### Participant Age

<b>Field Name</b>	Participant Age
<b>Description of Field</b>	The age range for the corresponding participant
<b>Value Type</b>	<string>
<b>Allowable Values/Formats</b>	<p>The following are allowable values for the 'Participant Age' field:</p> <ul style="list-style-type: none"> <li>• 0-9</li> <li>• 10-19</li> <li>• 20-29</li> <li>• 30-39</li> <li>• 40-49</li> <li>• 50-59</li> <li>• 60-69</li> <li>• 70-79</li> <li>• 80-89</li> <li>• 90-99</li> <li>• 100+</li> </ul>
<b>Notes and Examples</b>	N/A

#### Participant Education

<b>Field Name</b>	Participant Education
<b>Description of Field</b>	Highest education level attained by corresponding participant

<b>Value Type</b>	<string>
<b>Allowable Values/Formats</b>	The following are allowable values for the 'Participant Education' field: <ul style="list-style-type: none"> <li>• No high school degree</li> <li>• High school graduate, diploma or the equivalent (for example: GED)</li> <li>• Some college credit, no degree</li> <li>• Trade/technical/vocational training</li> <li>• Associate degree</li> <li>• Bachelor's degree</li> <li>• Master's degree</li> <li>• Doctorate degree (e.g., MD, DNP, DMD, PhD)</li> </ul>
<b>Notes and Examples</b>	N/A

#### Participant Occupation/Role

<b>Field Name</b>	Participant Occupation/Role
<b>Description of Field</b>	Occupation or role of corresponding participant
<b>Value Type</b>	<string>
<b>Allowable Values/Formats</b>	No restrictions on formatting or values are in place
<b>Notes and Examples</b>	Sample values include: Clinical Assistant, Physician's Assistant, MD, RN, Triage Coordinator

#### Participant Professional Experience

<b>Field Name</b>	Participant Professional Experience
<b>Description of Field</b>	Professional experience of the corresponding participant, in number of months
<b>Value Type</b>	<integer>
<b>Allowable Values/Formats</b>	Only positive integers (i.e. no decimals) are allowed
<b>Notes and Examples</b>	For a participant with 2 years and 5 months of professional experience, the corresponding CHPL input would be '29' (i.e. 29 months)

#### Participant Computer Experience

<b>Field Name</b>	Participant Computer Experience
<b>Description of Field</b>	The corresponding participant's experience with computers (in general), in number of months
<b>Value Type</b>	<integer>
<b>Allowable Values/Formats</b>	Only positive integers (i.e. no decimals) are allowed
<b>Notes</b>	For a participant with 10 years and 6 months of computer experience, the corresponding CHPL input would be '126' (i.e. 126 months)

#### Participant Product Experience

<b>Field Name</b>	Participant Product Experience
<b>Description of Field</b>	The corresponding participant's experience with the certified product/ health IT capabilities (SED criterion) being tested, in number of months

<b>Value Type</b>	<integer>
<b>Allowable Values/Formats</b>	Only positive integers (i.e. no decimals) are allowed
<b>Notes and Examples</b>	For a participant with 1 years and 6 months of experience with the given certified product, the corresponding CHPL input would be '18' (i.e. 18 months)

#### Participant Assistive Technology Needs

<b>Field Name</b>	Participant Assistive Technology Needs
<b>Description of Field</b>	Any assistive technology needs as identified by the corresponding participant
<b>Value Type</b>	<string>
<b>Allowable Values/Formats</b>	No restrictions on formatting or values are in place
<b>Notes and Examples</b>	Example values include: "Yes, used VoiceOver", or "No"

#### Task-Related Fields

##### Task Description

<b>Field Name</b>	Task Description
<b>Description of Field</b>	Brief description of task performed during SED/ usability testing
<b>Value Type</b>	<string>
<b>Allowable Values/Formats</b>	No restrictions on formatting or values are in place
<b>Notes and Examples</b>	Example: "Update the problem list with a new problem based on physical exam results."  Example: "Ordering a follow-up test or diagnostic based on a physical finding or test result"

##### Task Success – Mean (%)

<b>Field Name</b>	Task Success – Mean (%)
<b>Description of Field</b>	Mean task success rate (in percentages)
<b>Value Type</b>	<percentage>
<b>Allowable Values/Formats</b>	Only positive decimal numbers are allowed
<b>Notes and Examples</b>	Decimals are allowed. For example, an allowable CHPL input would be 35.7

##### Task Success - Standard Deviation (%)

<b>Field Name</b>	Task Success - Standard Deviation (%)
<b>Description of Field</b>	Standard deviation of the task success rate (in percentages)
<b>Value Type</b>	<percentage>
<b>Allowable Values/Formats</b>	Only positive decimal numbers are allowed

<b>Notes and Examples</b>	Decimals are allowed. For example, an allowable CHPL input would be 9.8
---------------------------	---

#### Task Path Deviation - Observed #

<b>Field Name</b>	Task Path Deviation - Observed #
<b>Description of Field</b>	Observed number of steps taken for the corresponding task
<b>Value Type</b>	<integer>
<b>Allowable Values/Formats</b>	Only positive integers are allowed
<b>Notes and Examples</b>	Decimals are <b>not</b> allowed. If a decimal is given, round up from $\geq 0.5$ , and round down from $<0.5$ . For example, an allowable CHPL input would be 10.

#### Task Path Deviation - Optimal #

<b>Field Name</b>	Task Path Deviation - Optimal #
<b>Description of Field</b>	Optimal number of steps for the corresponding task
<b>Value Type</b>	<integer>
<b>Allowable Values/Formats</b>	Only positive integers are allowed.
<b>Notes and Examples</b>	Decimals are <b>not</b> allowed. If a decimal is given, round up from $\geq 0.5$ , and round down from $<0.5$ . For example, an allowable CHPL input would be 10.

#### Task Time - Mean (seconds)

<b>Field Name</b>	Task Time - Mean (seconds)
<b>Description of Field</b>	Average time of completion for the corresponding task, in seconds.
<b>Value Type</b>	<integer>
<b>Allowable Values/Formats</b>	Only positive integers are allowed.
<b>Notes and Examples</b>	Decimals are <b>not</b> allowed. If a decimal is given, round up from $\geq 0.5$ , and round down from $<0.5$ . For example, an allowable CHPL input would be 10.

#### Task Time - Standard Deviation (seconds)

<b>Field Name</b>	Task Time - Standard Deviation (seconds)
<b>Description of Field</b>	Standard deviation for task time, in seconds.
<b>Value Type</b>	<integer>
<b>Allowable Values/Formats</b>	Only positive integers are allowed.
<b>Notes and Examples</b>	Decimals are <b>not</b> allowed. If a decimal is given, round up from $\geq 0.5$ , and round down from $<0.5$ . For example, an allowable CHPL input would be 10.

#### Task Time Deviation - Mean Observed Seconds

<b>Field Name</b>	Task Time Deviation - Mean Observed Seconds
<b>Description of Field</b>	Observed number of time (in seconds) taken for the corresponding task
<b>Value Type</b>	<integer>
<b>Allowable</b>	Only positive integers are allowed



<b>Values/Formats</b>	
<b>Notes and Examples</b>	Decimals are <b>not</b> allowed. If a decimal is given, round up from $\geq 0.5$ , and round down from $<0.5$ . For example, an allowable CHPL input would be 10.

#### Task Time Deviation - Mean Optimal Seconds

<b>Field Name</b>	Task Time Deviation - Mean Optimal Seconds
<b>Description of Field</b>	Optimal number of time (in seconds) taken for the corresponding task
<b>Value Type</b>	<integer>
<b>Allowable Values/Formats</b>	Only positive integers are allowed
<b>Notes and Examples</b>	Decimals are <b>not</b> allowed. If a decimal is given, round up from $\geq 0.5$ , and round down from $<0.5$ . For example, an allowable CHPL input would be 10.

#### Task Errors - Mean(%)

<b>Field Name</b>	Task Errors - Mean(%)
<b>Description of Field</b>	Mean task error rate (in percentages)
<b>Value Type</b>	<percentage>
<b>Allowable Values/Formats</b>	Only positive decimal numbers are allowed
<b>Notes and Examples</b>	Decimals are allowed. For example, an allowable CHPL input would be 9.8

#### Task Errors - Standard Deviation (%)

<b>Field Name</b>	Task Errors - Standard Deviation (%)
<b>Description of Field</b>	Standard deviation of the task error rate (in percentages)
<b>Value Type</b>	<percentage>
<b>Allowable Values/Formats</b>	Only positive decimal numbers are allowed
<b>Notes and Examples</b>	Decimals are allowed. For example, an allowable CHPL input would be 9.8

#### Task Rating - Scale Type

<b>Field Name</b>	Task Rating - Scale Type
<b>Description of Field</b>	The type of scale that was used to rate the usability of the task.
<b>Value Type</b>	<string>
<b>Allowable Values/Formats</b>	System Usability Scale is preferred. Likert Scale is also accepted.
<b>Notes and Examples</b>	For the System Usability Scale, a scale of 1-100 should be used. If a Likert Scale is used, a scale of 1-5 should be used, with 5 being the easiest and 1 being the most difficult.

#### Task Rating

<b>Field Name</b>	Task Rating
<b>Description of Field</b>	Mean usability rating of the corresponding task, based on the specified scale type

<b>Value Type</b>	<float>
<b>Allowable Values/Formats</b>	If the scale type is System Usability Scale, only positive integers between 1-100 are allowed. If the scale type is the Likert scale, positive decimal numbers are allowed.
<b>Notes and Examples</b>	Ex. System Usability Scale: 88 Ex. Likert Scale: 3.8

#### Task Rating – Standard Deviation

<b>Field Name</b>	Task Rating – Standard Deviation
<b>Description of Field</b>	Standard deviation of the mean usability rating of the corresponding task, based on the specified scale type
<b>Value Type</b>	<float>
<b>Allowable Values/Formats</b>	Only positive decimal numbers are allowed.
<b>Notes and Examples</b>	E.g. 4.52

## Guidance on Converting Other Fields

For those developers that have already conducted the required summative usability testing, this document provides additional guidance on how to translate values from existing test results into values allowable for open data CHPL input. In these limited instances, ONC and NIST are happy to work with the ONC-ACB and developer as needed.

### Participant Age

Scenario	Conversion Guidance	Example Input	Example CHPL Reporting Value
Age is given as an integer	If a participant's age is given as an integer, please map the integer to the corresponding allowable age range	23	20-29
Age is given as a range that does not match CHPL discrete reporting/ normalized values	Take the integer midpoint for the given range (rounding up from $\geq 0.5$ , and rounding down from $< 0.5$ ), and map the resulting integer to the corresponding allowable age range	23-39	30-39

### Participant Education

Example Input	Corresponding CHPL Reporting Value
Other (explain)	No high school degree
High school graduate/GED	High school graduate, diploma or the equivalent (for example: GED)
Some college	Some college credit, no degree
Other (explain)	Trade/technical/vocational training
Other (explain)	Associate degree
College graduate (RN, BSN)	Bachelor's degree
Postgraduate (MD/PhD)	Master's degree
Other (explain)	Doctorate degree (e.g., MD, DNP, DMD, PhD)

Participant Experience (e.g. Computer Experience, Professional Experience Product Experience)

Scenario	Conversion Guidance	Example Input	Example CHPL Reporting Value
Experience is given in number of years	If a participant's experience is given in terms of years, please multiply by 12 to get the participant's experience in months	10 years 5 months	125
Experience is given as an approximate value	Report the approximate value given, and convert to months by multiplying by 12 as necessary.	Approximately 20 years	240
Experience is given as a numerical range	Take the integer midpoint for the given range (rounding up from $\geq 0.5$ , and rounding down from $< 0.5$ ). If the original input was in years, multiply the resulting integer by 12 to get the participant's experience in months	8-11 years	120
Experience is given as a "greater than" range	Use the first integer that meets the given criteria. If the original input was in years, multiply by 12 to get the participant's experience in months.	Greater than 8 years, > 8 years, 8+ years	96
Experience is given as a "less than" range	Use the first integer that meets the given criteria. If the original input was in years, multiply by 12 to get the participant's experience in months.	Less than 8 years, <7 years	84