

Quality Measures Workgroup: MU3 Measures

May 6, 2014



Objective: Make recommendations on measures for meaningful use Stage 3.

The Framework



Step-wise progression toward achieving the vision

Expand to larger set of data elements and assessment tools

Begin aligning key data elements, assessment tools using common standards

Interoperable exchange of information across care settings

- Common meaning
- Burden reduction
- Care coordination
- Longitudinal view of the patient

QMWG's Previous Recommendations



- For many of the concepts that were completely new, the QMWG recommended developing process measures for MU1 and MU2 as a first step toward outcomes measures
- Some of the early process measures have informed the development of the next stage of measures

Timeline of Measures Under Development



- For MU3 recommendations, the QMWG reviewed Measures Under Development by CMS
- These measures will be fully e-specified by Fall 2014
 - Some are already available and open for public comment:
 - http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/MMS/CallforPublicComment.html
 - http://ushik.org/QualityMeasuresListing?draft=true&system=dcq m&sortField=570&sortDirection=ascending&enableAsynchronous Loading=true
- Some will be going through the feasibility and validity testing process
- Potential for approval for trial use
- NQF endorsement in time for the MU3 NPRM unlikely

Analysis of QMWG Measure Concepts Crosswalk



lealth IT Policy Committee

A Public Advisory Body on Health Information Technology to the National Coordinator for Health IT

Clinical Effectiveness	
Efficient Use of Facilities	0 Concepts
Other	>3 Concepts

Other	>3 Concepts	
Patient & Family Engagement		
Patient Health Outcomes	>3 Concepts	
Self- Management/ Activation	0 Concepts	
Patient Health Outcomes, Experience & Self- Management/ Activation	0 Concepts	
Honoring Patient Preferences & Shared Decision Making	>3 Concepts	

Effective Use of Resources	
Assessment of Appropriate Medication & Treatment	>3 Concepts
Efficient Use of Diagnostic Tests	>3 Concepts

Patient Safety	
Adverse Drug Event (ADE) Monitoring & Prevention	>3 Concepts
Falls Prevention	1-3 Concepts
Hospital Associated Conditions	0 Concepts
EHR Safety	0 Concepts

Population & Public Health		
Healthy Lifestyle Behaviors		>3 Concepts
Effective Preventative Services		>3 Concepts
Health Equity		0 Concepts
Care Coordination		
Effective Care Planning	0	Concepts
Care Transitions	>	3 Concepts
Appropriate and Timely Follow Up	1	-3 Concepts
	>	3 Concepts
	1	-3 Concepts
	0	Concepts

Clinical Effectiveness Concepts by Subdomain



Subdomain	Concepts
Efficient Use of Facilities	None

Efficient Use of Resources Concepts by Subdomain Health IT Policy Concepts

Subdomain	Concepts
Assessment of Appropriate Medication & Treatment	None
Efficient Use of Diagnostic Tests	 3186: Overuse of imaging for Staging Breast Cancer at Low Risk of Metastasis 3050: Overuse of Diagnostic Imaging for Uncomplicated Headache 3051: Overuse of DXA scans for Osteoporosis Screening in Women

Recommendations for Future Development:

- Measures beyond imaging
- Measures for levels of care (e.g., ICU)

Population & Public Health Concepts by Subdomain

Health IT Policy Committee

A Public Advisory Body on Health Information Technology to the National Coordinator for Health IT

Note: *italicized* are new versions built on previous concepts

Subdomain	Concepts
Healthy Lifestyle Behaviors	 3295: Alcohol counseling/treatment for dependency 3296: Intimate partner (domestic) violence screening 3297: Alcohol screening and brief intervention (ASBI) in the ER 3041: Annual wellness assessment - Assessment of health risks 3042: Annual wellness assessment - Management of health risks 3167: Annual wellness assessment - Reduction of health risks 3170: Annual wellness assessment - Goal setting to reduce identified risks
Effective Preventative Services	 3301: Tobacco Cessation Help for Adolescents & 3474: Tobacco use and help with quitting among adolescents 3548: Hepatitis B Vaccine Coverage among All Live Newborn Infants Prior to Hospital or Birthing Facility Discharge 3549: Pre-school vision screening in the medical home 3293: Oral Health: Children aged 6-9 years who receive sealants in the first permanent molar 3294: Oral Health: Children aged 6-9 years who receive sealants in the first permanent molar 3294: Oral Health: Children aged 6-9 years who receive sealants in the first permanent molar 3294: Oral Health: Children aged 6-9 years who receive sealants in the first permanent molar 3294: Oral Health: Children aged 6-9 years who receive sealants in the first permanent molar 3294: Oral Health: Children aged 6-9 years who receive sealants in the first permanent molar 3294: Oral Health: Children aged 6-9 years who receive sealants in the first permanent molar 3294: Oral Health: Children who receive sealants in the first permanent molar 3294: Oral Health: Children who receive sealants in the first permanent molar 3294: Oral Health: Children who receive sealants in the first permanent molar 3294: Oral Health: Children aged 6-9 years who receive sealants in the first permanent molar 3294: Oral Health: Children aged 6-9 years
Health Equity	None

Note: The WG supports that measures should be stratifiable by disparities or special populations in MU3.

Recommendations for Future Development: Time to access to language and interpreter services

Patient & Family Engagement Concepts by Subdomain



Note: *italicized* are new versions built on previous concepts

Subdomain	Concepts
Patient Health Outcomes	 3286: Functional status assessment and improvement for patients who received a total knee replacement 3288: Functional status assessment and improvement for patients who received a total hip replacement 3319: Improvement in pain among children 3280: Pediatric ADHD Outcome Measure 3316: Improvement in symptoms among children with ADHD
Self-Management/Activation	None
Patient Health Outcomes, Experience & Self- Management/Activation	None
Honoring Patient Preferences & Shared Decision Making	 3168: Functional status assessments and goal setting for patients for asthma 3169: Functional status assessments and goal setting for patients with chronic obstructive pulmonary disease 3287: Functional status assessment and goal achievement for patients with congestive heart failure 3052: Functional status assessment and goal setting in patients with rheumatoid arthritis 3053: Functional status assessment and goal setting for chronic pain 3170: Annual wellness assessment - Goal setting to reduce identified risks

Recommendations for Future Development: Utilize PROMIS tools for specific and global measurement of patient reported outcomes

Care Coordination Concepts by Subdomain

Note: italicized are new versions built on previous concepts



Subdomain	Concepts
Effective Care Planning	3170: Annual wellness assessment - Goal setting to reduce identified risks
Care Transitions	 3388: Continuity Assessment and Record Evaluation (CARE) modified for LTSS populations 3283: Closing the Referral Loop - Critical information communicated with request for referral
Appropriate & Timely Follow Up	3048: Coordinating Care with Emergency Departments

Note: The WG supports ongoing work to create a suite of care coordination measures on closing the referral loop from patient and payer perspective as well as provider.

Patient Safety Concepts by Subdomain

Note: italicized are new versions built on previous concepts



Subdomain	Concepts
Adverse Drug Event (ADE) Monitoring & Prevention	 3160: Adverse Drug Events – Hypoglycemia 3121: Adverse Drug Events: Hyperglycemia 3040: Appropriate monitoring of patients receiving an opioid via an IV patient controlled analgesia device 3164: Adverse Drug Events - Anticoagulant induced bleeding events 3323: Adverse Drug Events: Inappropriate renal dosing 3317: Antipsychotic Medication management - Laboratory Monitoring 3318: Antipsychotic Medication Management - polypharmacy 3185: Use of Antipsychotics in Very Young Children 3282: Use of Multiple Concurrent Antipsychotics in Children Overtreatment of diabetes in patients over 75 3289: ACE Prevention and Monitoring: Minimum INR Monitoring for Patients with Atrial Fibrillation on Warfarin 3290: ADE Prevention and Monitoring: Warfarin Time in Therapeutic Range 845: Severe Sepsis and Septic Shock: Management Bundle
Falls Prevention	None
Hospital Associated Conditions	3182: Rate of readmission to the ICU within 48 hours
HIT Safety	None

Recommendations for Future Development:

- Drug-drug interaction measures and/or linked to CDS
- Global measure of safe use of medications/medication prescribing

Broader Recommendations & Needs



- CDS in lieu of or linked to a measure
- Way to measure patient's experience of care coordination through CAHPS – need a way to connect to this data
- Composite global measures
- Standards to support transport of data elements (goal setting, care coordination)
- Platform for PROs PROMIS
- Building in PGHD into measures

